



Unrestricted					
Data and Business Rules – Chronic Obstructive Pulmonary Disease Indicator Set (COPD)					
Author	Paul Amos	Version No	11.0	Version Date	28-Nov-2007

New GMS Contract QOF Implementation

Dataset and Business Rules

-

Chronic Obstructive Pulmonary Disease (COPD) Indicator Set

Amendment History:

Version	Date	Amendment History
0.1	09-Jul-2004	From Peter Horsfield. Extracted from July Read Code Release. Contains Read v0 only.
1.0	27-Sep-2004	Amended following 4 country review
1.1	18-Jan-2005	Amended following January READ Code Release
1.2	21-Jun-2005	Amended following 4 Country review
2.0	21-July-2005	Signed off following 4 Country review
2.1	21-July-2005	Amended following July 2005 Read Code release and January 2005 SNOMED CT release
2.2	21-Aug-2005	Amended following 4 Country review
3.0	23-Sep-2005	Signed off following 4 Country review
3.1	21-Nov-2005	Amended following review by Phil Brown
3.2	22-Nov-2005	Amended following review by Peter Horsfield
3.3	3-Dec-2005	Draft revised for internal review
7.4	26-Feb-2006	Amended following internal & 4 Countries review. Also includes uplifting to 7.4 to bring the 4-Byte documents to the same version number as the 5-Byte/CTV3/SNOMED-CT documents
8.0	15-Mar-2006	Signed off following 4 Country review
8.1	04-May-2006	Responding to queries raised a) Amend wording for Note 3 b) Remove <=12 month check in Rule 1 (COPD9)
8.5	18-May-2006	Approved by NHSE
8.6	20-Oct-2006	April Read Code Release October Read Code Release Corrections and amendments following feedback
9.0	30-Nov-2006	Approved by NHSE
9.1	11-Apr-2007	April 2007 Read Code Release
10.0	18-Jun-2007	Signed off following 4 Country review
10.1	23-Sep-2007	October 2007 Read Code Release
11.0	28-Nov-2007	Signed off following 4 Country review

New GMS contract Q&O framework implementation

Dataset and business rules – Chronic obstructive pulmonary disease (COPD) indicator set

Notes

- 1) The specified dataset and rulesets are to support analysis of extracted data to reflect the status at a specified point in time of patient records held by the practice. In the context of this document that specified time point is designated the 'Reference date' and identified by the abbreviation 'REF_DAT'. In interpreting the specification REF_DAT should be taken to mean midnight of the preceding day (i.e. a REF_DAT of 01.04.2003 equates to midnight on 31.03.2003).
- 2) To support accurate determination of the population of patients to which the indicators should relate (the denominator population) these rulesets have been compiled with a prior assumption that the reference date is specified prior to extraction of data and is available for computation in the data extraction routine. The reference date will also be required to be included in the data extraction to support processing of rules that are dependent upon it. It is possible that an alternative approach could be adopted in which rules to determine the denominator population by registration status would be applied as a component of rule processing. If this second approach were to be adopted it would be essential to specify default time criteria for determining the registration characteristics of the denominator population during the data extraction process. Additionally there would be a requirement to supplement the dataset and rulesets to support identification of the appropriate denominator population.
- 3) Clinical codes quoted are (where known) from the April 2006 release of Read codes (version 0). The codes are shown within the document as a 4 character value to show that the Read Code is for a 4-Byte system.
 - i) Where a '%' wildcard is displayed, the Read Code is filled to 4 characters with full-stops. When implementing a search for the Read Code, only the non full-stop values should be used in the search, For example, a displayed Read Code of c1.% should be implemented as a search for c1%, i.e. should find c1 and any of it's children.
 - ii) Where a range of read codes are displayed, the Read Code is filled to 4 characters with full-stops. When implementing the search, only the non full-stop values should be used in the search, For example, a displayed Read Code range of G342 – G3z. should find all codes between G342 and G3z (including any children where applicable).
- 4) Datasets comprise a specification of two elements:
 - a) Patient selection criteria. These are the criteria used to determine the patient population against whom the indicators are to be applied.
 - i) Registration status. This determines the current patient population at the practice
 - ii) Diagnostic code status. This determines the current patient population (register size) for a given clinical condition

There are three scenarios within the diagnostic code status, these are where

- There is a single morbidity patient population (disease register) required (e.g. within CHD). Where this occurs, a single set of rules for identifying the patient population is provided.

- There is a single co-morbidity patient population (disease register) required (e.g. within Smoking). Where this occurs, a set of rules for *each* morbidity is provided. A patient *must* only be included in the patient population (register size) *once*.
- There are multiple patient populations (disease registers) required (e.g. within Heart Failure). Where this occurs, a single set of rules for *each* patient population is provided.
N.B. where there are multiple patient populations (disease registers), it is possible that one or more will also be a co-morbidity patient population (e.g. within Depression)

Where this occurs, details of which register population applies to which indicator(s) are provided. Where the register size applies to an indicator, this is the base denominator population for that indicator.

- b) Clinical data extraction criteria. These are the data items to be exported from the clinical system for subsequent processing to calculate points allocations. They are expressed in the form of a MIQUEST 'Report-style' extract of data.

The record of each patient that satisfies the appropriate selection criteria for a given indicator will be interrogated against the clinical data criteria (also appropriate to that indicator). A report of the data contained in the selected records will be exported in the form of a fixed-format tabular report. Each selected patient will be represented by a single row in the report. Rows will contain a fixed number of fields each containing a single data item. The number of fields in each row and their data content will be determined by the clinical data criteria. Data items that match the clinical data criteria will be exported in the relevant field of the report. Where there is no data to match a specific clinical criterion a null field will be exported.

- 5) Rulesets are specified as multiple rules to be processed sequentially. Processing of rules should terminate as soon as a 'Reject' or 'Select' condition is encountered
- 6) Rules are expressed as logical statements that evaluate as either 'true' or 'false'. The following operators are required to be supported:
- | | |
|---------------------|--------|
| a) > (greater than) | e) AND |
| b) < (less than) | f) OR |
| c) = (equal to) | g) NOT |
| d) ≠ (not equal to) | |
- 7) Where date criteria are specified with intervals of multiples of months or years these should be interpreted as calendar months or calendar years.
- 8) The new GMS contract requires that influenza vaccinations should be given between 1st September and 31st March of any given contract year in order to qualify for the relevant indicators. Hence in the contract year 2004 – 2005 the relevant dates will be 1st September 2004 and 31st March 2005 inclusive. In this document these dates are expressed as variable parameters FLU_COM and FLU_END respectively. For the purposes of data extraction these variables will be required to be specified prior to processing the relevant rules.

Dataset Specification**1) Patient selection criteria:**

a) Registration status

<i>Current registration status</i>	<i>Qualifying criteria</i>
Currently registered for GMS	Most recent registration date < (REF_DAT)
Previously registered for GMS	Any sequential pairing of registration date and deregistration date where both of the following conditions are met: registration date < (REF_DAT); and deregistration date >= (REF_DAT)

b) Diagnostic code status

<i>Code criteria</i>	<i>Qualifying diagnostic codes</i>	<i>Time criteria</i>
<i>Included</i>	<i>Read codes v0</i>	Earliest < (REF_DAT)
	H37. H4.. - H413 H41Z - H42. H46. - H4Z.	

2) Clinical data extraction criteria

<u>Field Number</u>	<u>Field name</u>	<u>Data item</u>	<u>Qualifying criteria</u>
1	PAT_ID	Patient ID number	Unconditional
2	REG_DAT	Date of patient registration	Latest < REF_DAT
3	COPDEXC_COD	<i>Read codes v0</i>	Latest < REF_DAT
		9h5.%	
		<i>(COPD exception reporting codes)</i>	
4	COPDEXC_DAT	Date of COPDEXC_COD	Chosen record
5	COPD_COD	<i>Read codes v0</i>	Earliest < REF_DAT
		H37. H4.. - H413 H41Z - H42. H46. - H4Z.	
		<i>(COPD codes)</i>	
6	COPD_DAT	Date of COPD_COD	Chosen record
7	SPEX_COD	<i>Read codes v0</i>	Latest < REF_DAT
		8I2M 8I3b 8I6L 8I6d	
		<i>(Spirometry exception codes)</i>	
8	SPEX_DAT	Date of SPEX_COD	Chosen record
9	COPDSPIR_COD	<i>Read codes v0</i>	Earliest < REF_DAT AND >= (COPD_DAT - 3 months)
		33G.% 33H.% 33I.% 33J.% 33K.% 5882 663J - 663K 663k 66Ya - 66Yb. 68M. 8HRC	
		<i>(Spirometry codes for COPD)</i>	
10	COPDSPIR_DAT	Date of COPDSPIR_COD	Chosen record

11	INDR_COD	<i>Read codes v0</i>	Latest < REF_DAT
		c1..% (excluding c11.%, c12.%, c135, c139, c13A, c13B, c13W, c13X, c13j, c13m, c13o, c13w, c13z, c141 - c143, c147 - c14c, c14e, c14h, c14i, c14k - c14s, c14w - c14z, c152, c15z, c161 - c163, c16w - c16y, c171, c172, c174 - c17x, c17z, c1A.%, c1B.%, c1a.%) c213, c216, c243 - c246 c24x - c24z, c254, c255 c25y, c25z c311, c313 c315, c318 - c31B, c31u c31x, c31z, c32.%, c33.%, c514, c515, c518 c519 - c51D, c51a - c51e c51g - c51I, c51n - c51p c51x c6..% (excluding c616, c61y, c64a, c64b, c64i, c64j, c65X - c65a)	
		<i>(Codes for inhaled therapy)</i>	
12	INDR_DAT	Date of INDR_COD	Chosen record
13	FEV1_COD	<i>Read codes v0</i>	Latest < REF_DAT
		3398 - 3399 339M 339O 339R - 339U 339a - 339b 339e - 339f 339j - 339m	
		<i>(Codes for FEV1)</i>	
14	FEV1_DAT	Date of FEV1_COD	Chosen record
15	INHT_COD	<i>Read codes v0</i>	Latest < REF_DAT
		6636 6637 663H 663I 66Y4	
		<i>(Codes for check inhaler technique)</i>	
16	INHT_DAT	Date of INHT_COD	Chosen record

17	XFLU_COD	<i>Read codes v0</i>	Latest < REF_DAT
		14LJ Q5AB	
		<i>(Flu vaccine contraindications: persisting)</i>	
18	XFLU_DAT	Date of XFLU_COD	Chosen record
19	TXFLU_COD	<i>Read codes v0</i>	Latest < REF_DAT
		812F 816D 68NE 90X5	
		<i>(Flu vaccine contraindications: expiring)</i>	
20	TXFLU_DAT	Date of TXFLU_COD	Chosen record
21	FLU_COD	<i>Read codes v0</i>	Latest < REF_DAT
		n47.% 65E.%	
		<i>(Flu vaccination codes)</i>	
22	FLU_DAT	Date of FLU_COD	Chosen record

Indicator rulesets

- 1 **Indicator COPD 1:** The practice can produce a register of patients with COPD.

The terms of this indicator will be satisfied if the practice is able to produce a data extraction according to the above criteria.

No numerator or denominator determination is required.

- 2 Indicator COPD 9: The percentage of all patients with COPD in whom diagnosis has been confirmed by spirometry including reversibility testing

a) Denominator ruleset

<i>Rule number</i>	<i>Rule</i>	<i>Action if true</i>	<i>Action if false</i>
1	If <u>COPDSPIR_DAT</u> >= (<u>COPD_DAT</u> – 3 months)	Select	Next rule
2	If <u>REG_DAT</u> >= (<u>REF_DAT</u> – 3 months)	Reject	Next rule
3	If <u>COPDEXC_DAT</u> >= (<u>REF_DAT</u> – 15 months)	Reject	Next rule
4	If <u>SPEX_DAT</u> >= (<u>REF_DAT</u> – 15 months)	Reject	Next rule
5	If <u>COPD_DAT</u> >= (<u>REF_DAT</u> – 3 months)	Reject	Select

b) Numerator ruleset: To be applied to the above denominator population

<i>Rule number</i>	<i>Rule</i>	<i>Action if true</i>	<i>Action if false</i>
1	If <u>COPDSPIR_DAT</u> >= (<u>COPD_DAT</u> – 3 months)	Select	Reject

- 3 **Indicator COPD 10:** The percentage of patients with COPD with a record of FeV1 in the previous 15 months

a) Denominator ruleset

<i>Rule number</i>	<i>Rule</i>	<i>Action if true</i>	<i>Action if false</i>
1	If FEV1_DAT >= (REF_DAT – 15 months)	Select	Next rule
2	If REG_DAT >= (REF_DAT – 3 months)	Reject	Next rule
3	If COPDEXC_DAT >= (REF_DAT – 15 months)	Reject	Next rule
4	If COPD_DAT >= (REF_DAT – 3 months)	Reject	Select

b) Numerator ruleset: To be applied to the above denominator population

<i>Rule number</i>	<i>Rule</i>	<i>Action if true</i>	<i>Action if false</i>
1	If FEV1_DAT >= (REF_DAT – 15 months)	Select	Reject

- 4 Indicator COPD 11: The percentage of patients with COPD receiving inhaled treatment in whom there is a record that inhaler technique has been checked in the previous 15 months

a) Denominator ruleset

<i>Rule number</i>	<i>Rule</i>	<i>Action if true</i>	<i>Action if false</i>
1	If <u>INDR_DAT</u> >= (<u>REF_DAT</u> – 6 months)	Next rule	Reject
2	If <u>INHT_DAT</u> >= (<u>REF_DAT</u> – 15 months)	Select	Next rule
3	If <u>REG_DAT</u> >= (<u>REF_DAT</u> – 3 months)	Reject	Next rule
4	If <u>COPDEXC_DAT</u> >= (<u>REF_DAT</u> – 15 months)	Reject	Next rule
5	If <u>COPD_DAT</u> >= (<u>REF_DAT</u> – 3 months)	Reject	Select

b) Numerator ruleset: To be applied to the above denominator population

<i>Rule number</i>	<i>Rule</i>	<i>Action if true</i>	<i>Action if false</i>
1	If <u>INHT_DAT</u> >= (<u>REF_DAT</u> – 15 months)	Select	Reject

- 5 Indicator COPD 8: The percentage of patients with COPD who have had influenza immunisation in the preceding September to March.

a) Denominator ruleset

<i>Rule number</i>	<i>Rule</i>	<i>Action if true</i>	<i>Action if false</i>
1	If <u>FLU_DAT</u> >= <u>FLU_COM</u> AND If <u>FLU_DAT</u> <= <u>FLU_END</u>	Select	Next rule
2	If <u>REG_DAT</u> >= (<u>REF_DAT</u> - 3 months)	Reject	Next rule
3	If <u>COPDEXC_DAT</u> >= (<u>REF_DAT</u> - 15 months)	Reject	Next rule
4	If <u>COPD_DAT</u> >= (<u>REF_DAT</u> - 3 months)	Reject	Next rule
5	If <u>XFLU_COD</u> ≠ Null	Reject	Next rule
6	If <u>TXFLU_DAT</u> >= (<u>REF_DAT</u> - 15 months)	Reject	Select

b) Numerator ruleset: To be applied to the above denominator population

<i>Rule number</i>	<i>Rule</i>	<i>Action if true</i>	<i>Action if false</i>
1	If <u>FLU_DAT</u> >= <u>FLU_COM</u> AND If <u>FLU_DAT</u> <= <u>FLU_END</u>	Select	Reject